

 **MACAP<sup>®</sup>**

**SUPRA**

## **DESIGNED TO DELIVER. BUILT TO ENDURE**

Introducing Supra. The next generation of high performance grinders by Macap. Designed with innovative features for demanding environments, Supra can handle the pressure of peak service.

Available in **68mm** and **83mm** burr configurations, Supra is built to match your output demands, whatever your workflow.

It delivers what every barista wants: an exceptional coffee grinding experience that captures every nuance, without compromising on speed or performance.

For busy cafes, it's one less thing to think about, and one more thing you can count on.









**Fast. Capable. Supra.**

# SUPRA<sup>83</sup>

## MAIN FEATURES





- 1 Coffee hopper capacity 1.5kg
- 2 83mm flat burrs
- 3 3.5" Touch Screen Display 
- 4 Dimensions (W×D×H)  
244×354×638mm
- 5 Motor power 750 W
- 6 Instant productivity  
5.5 - 6 g/s 
- 7 CTS - Coffee Targeting System 
- 8 FOS - Fast Opening System 



**BlackStock**  
COFFEE

# SUPRA<sup>68</sup>

## MAIN FEATURES

- ① Coffee hopper capacity 1.5kg
- ② 68mm flat burrs
- ③ 3.5" Touch Screen Display 
- ④ Dimensions (W×D×H)  
244×354×638mm
- ⑤ Motor power 550 W
- ⑥ Instant productivity  
3.8 - 4.5 g/s 
- ⑦ CTS - Coffee Targeting System 
- ⑧ FOS - Fast Opening System 



## WHY SUPRA?

We've engineered Supra from the ground up to revolutionise performance coffee grinding in ultra-high volume environments.

Every angle, line, and surface is purposeful – delivering strength without excess, and form that follows uncompromising function.

- ▶ **Dependable Design**  
Built from premium materials with no compromise, this grinder is engineered to handle the demands of non-stop commercial service.
- ▶ **Superior Mechanics**  
Inside, every mechanical component is tuned for smooth, consistent operation under load. Proven performance, engineered to keep delivering – day after day, year after year.
- ▶ **Built for Heavy Workloads**  
Engineered for busy environments where consistency can't slip. A grinder that doesn't slow down, even when the queue builds.
- ▶ **Anti-clumping Technology with Easy Removal**  
Designed to reduce retention and promote an even grind flow. Delivers smooth, even dosing without clogging.
- ▶ **Ultra-quiet Grind**  
Despite its power, Supra operates with a remarkably low acoustic footprint. Noise-dampening materials and thoughtful design allow it to perform at high speed without disrupting your atmosphere.





## COFFEE TARGETING SYSTEM

The Supra's engineered spout can be adjusted to deliver ground coffee exactly where it needs to be — right into the centre of the portafilter.

Minimal mess, minimal waste, and even distribution from the start. For busy baristas, it's one less thing to think about and one more thing you can rely on.



BlackStock<sup>®</sup>  
COFFEE




## FAST OPENING SYSTEM

The Fast Opening System enables an instant transition from micro to macro adjustments with a simple click – plus easy access to the burrs and grind chamber for fast, hassle-free cleaning and maintenance.

It's a simple mechanism that saves time, reduces downtime, and keeps your workflow smooth, especially when service doesn't slow down.





## **HMI** **INTUITIVE AND CUSTOMISABLE INTERFACE**

- ▶ DTS - Dosing Type Selection  
Standard, Push & Grind, Barista mode
- ▶ Dynamic homepage
- ▶ 4 programmable doses  
+ continuous dosing
- ▶ Adjustable LED lighting
- ▶ Adjustable ventilation  
on 5 duration levels
- ▶ Configurable access password



# TECHNICAL DETAILS: GRINDER COMPARISON

	<b>SUPRA<sup>68</sup></b>	<b>SUPRA<sup>83</sup></b>
<b>Performance Profile</b>	Built for busy cafés and service-focused environments, the SUPRA 68 delivers speed, consistency, and reliability shift after shift.	Designed for ultra-high volume bars, SUPRA 83 offers even faster performance while maintaining the same precision and grind quality.
<b>Capacity</b>	1.5kg	1.5kg
<b>Power</b>	220-240V ~ 50Hz 550 W	220-240V ~ 50Hz 750 W
<b>Technology</b>	3,5" Touch Screen Display with HMI	3,5" Touch Screen Display with HMI
<b>Dimensions (W×D×H)</b>	244×354×638mm	244×354×638mm
<b>Productivity</b>	3.8 - 4.5 g/s	5.5 - 6 g/s
<b>Flat burrs</b>	Ø 68 mm	Ø 83 mm
<b>Weight</b>	12.7kg	14.5kg
<b>Mode</b>	Grinding activation from display, from microswitch or both	Grinding activation from display, from microswitch or both
<b>Available colours</b>	Black   White	Black   White

